


PRODUCT DESCRIPTION

The cover has a matt black surface that turns white when the light is turned on, line of light at 120LED/m (9.6W/m) in profiles with minimal deep 19 mm. The cover is made of UV-resistant PMMA. When the LEDs are off, it is black. The best visual effect is obtained in profiles that are black inside.

- They blend in with dark lighting fixtures and dark surfaces of ceilings or walls
- A surprising light effect when the light is switched on

Fill empty fields



Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application


Decorative lighting.

Assembly


Snap-in in dedicated profiles.

Material	PMMA
Available length	1000 mm, 2000 mm, 3000 mm
UV resistance	yes


TECHNICAL DRAWING




RELATED PROFILES




GIZA-LL profile
Ref: C0758




KOZUS-CR Profile
Ref: C0600




GIZA Profile
Ref: B5556




LIPOD Profile
Ref: B5554




LOKOM Profile
Ref: B5553




LARKO Profile
Ref: B5552




LESTO Profile
Ref: B5551




OPAC-30 Profile
Ref: B6164




LOC-30 Profile
Ref: 18015




KOZEL Profile
Ref: B6454




KOZUS Profile
Ref: B7823



KIDES-DUO Profile
Ref: 18032



STEPUS Profile
Ref: 18038



WERKIN Profile
Ref: 18025

RELATED PRODUCTS

MARKETING MATERIALS



Black LIGER and
LIGER-22 Foam
Ref: 70271



Display
P230-90154M
Ref: 90154M