

PRODUCT DESCRIPTION

- Illumination of niches and coves with a small depth
- Easy maintenance

FINISH :

Non anodized (raw) 

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- decorative lighting recessed in architectural niches.

Mounting

- to the surface, using a dedicated mounting track and properly selected screws,
- can be easily connected into runs,
- the cover is cut to the length of the lighting fixture.


Additional information

- can be mounted horizontally or vertically
- the light source is placed in the easily disassembled ONISA lighting fixture
- space for LED strip: 11.2 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
18027NA_1	Non anodized (raw)	1000 mm
18027NA_2	Non anodized (raw)	2000 mm


TECHNICAL DRAWING




RELATED PRODUCTS

COVERS

CLEAR COVERS





KA clear Cover
Ref: 17036




HS clear Cover
Ref: 1370

110°



KA-COM clear Cover
Ref: 17122




KA-PRO clear Cover
Ref: 17065


100°



FROSTED COVERS




KA frosted Cover
Ref: 17035




KA-PRO frosted Cover
Ref: 17064

110°




HS frosted Cover
Ref: 1369

110°



KA-COM frosted Cover
Ref: 17121

110°



LIGER frosted Cover
Ref: 17037

120°



END CAPS

REGULAR END CAPS




ONISA grey End cap
Ref: 24100

ACCESSORIES


COMPONENTS FOR CONNECTING PROFILES




ZM-NA-90
Connector
Ref: 42723



ZM-NA-120
Connector
Ref: 42729




ZM-NA-135
Connector
Ref: 42725




ZM-NA-PION-135
Connector
Ref: 42727




ZM-NA-PION-90
Connector
Ref: 42726



ZM-NA-45
Connector
Ref: 42339




ZM-NA-PION-120
Connector
Ref: 42321



ZM-NA-PION-60
Connector
Ref: 42317



ZM-NA-PION-45
Connector
Ref: 42315



ZM-NA-180
Connector
Ref: 42724


SEALING COMPONENTS




6 x 1.2 Gland
Ref: 00802

LED TAPES

WHITE




LED strip K-1210-12V
Ref: K-1210-12V




LED strip K-1210-24V
Ref: K-1210-24V



LED strip K-1220-12V
Ref: K-1220-12V




LED strip K-1220-24V
Ref: K-1220-24V



LED strip K-1275-12V
Ref: K-1275-12V




LED strip K-1275-24V
Ref: K-1275-24V




LED strip K-1820-HD-24V
Ref: K-1820-HD-24V



LED strip K-1910-HD-24V
Ref: K-1910-HD-24V




LED strip WP-K-1640-HD-IP65-24V
Ref: WP-K-1640-HD-IP65-24V




LED strip WP-K-1210-12V
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V
Ref: WP-K-1210-24V




Taśma LED WP-K-1220-12V
Ref: WP-K-1220-12V




LED strip WP-K-1220-24V
Ref: WP-K-1220-24V



LED strip WP-K-1275-12V
Ref: WP-K-1275-12V




LED strip WP-K-1275-24V
Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V
Ref: WP-K-1910-HD-IP65-24V




LED strip WP-K-1220-IP65-12V
Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V
Ref: WP-K-1220-IP65-24V

LONG RUN



LED strip K-LR-1000-24V
Ref: K-LR-1000-24V

HIGH EFFICACY




LED strip K-HE-0480-HD-24V
Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V
Ref: K-HE-0960-HD-24V




LED strip K-HE-1440-HD-24V
Ref: K-HE-1440-HD-24V




LED strip K-HE-1920-HD-24V
Ref: K-HE-1920-HD-24V


RGB / RGB-W




LED strip K-1275-RGB-12V
Ref: K-1275-RGB-12V




LED strip K-1275-RGB-24V
Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V




LED strip K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip K-27/65-1920-24V
Ref: K-27/65-1920-24V



LED strip WP-K-27/65-1920-24V
Ref: WP-K-27/65-1920-24V



LED strip K-22/50-1728-24V
Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V
Ref: K-30/18-1770-24V

MARKETING MATERIALS



Display P230-90118M
Ref: 90118M



Presentation set 5
Ref: 90124