


# Cover HS-22

Ref. B17011F, B17011C

Ref. arch 17011,17022



- Recommended for the construction of sealed lighting fixtures

## APPLICATION

- LED protection and light diffusion in lighting fixtures


## MOUNTING

- to the profile, by pressing

## ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance  $\pm 1.5$  mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

Material	PC
Shape	flat
Maximum length on request	3000 mm
Width	21 mm
Possibility of bending	yes
UV resistance	yes

Finish	Light transmission	Length	Possibility of obtaining a line of light	Ref
frosted	73 %	1000 mm	yes	B17011F_1 17011_1
		2005 mm		B17011F_2 17011_2
		3010 mm		B17011F_3 17011_3
clear	94 %	1000 mm	no	B17011C_1 17022_1
		2005 mm		B17011C_2 17022_2
		3010 mm		B17011C_3 17022_3

# Cover HS-22

Ref. B17011F, B17011C

Ref. arch 17011,17022

## RELATED PROFILES



**LESTO**  
B5551

## RELATED PROFILES > ARCHITECTURAL




**DIPOK-US**  
A01233  
Ref. arch H1233



**DIPOKET**  
A01177  
Ref. arch H1177



**GIZA**  
A05556  
Ref. arch B5556



**GIZA-DUO-LL**  
A02162  
Ref. arch C2162




**GIZA-LL**  
A00758  
Ref. arch C0758



**GIZA-LL-T**  
A02479  
Ref. arch C2479



**GIZA-LL-UST**  
A02724N  
Ref. arch C2724



**GLAZA-DUO**  
A03059  
Ref. arch C3059



**KOZEL**  
A06454  
Ref. arch B6454



**KOZUS**  
A07823  
Ref. arch B7823



**KOZUS-CR**  
A00600  
Ref. arch C0600



**LARKO**  
A05552  
Ref. arch B5552



**LIPOD**  
A05554  
Ref. arch B5554



**LOC-30**  
A18015  
Ref. arch 18015



**LOKOM**  
A05553  
Ref. arch B5553

# Cover HS-22

Ref. B17011F, B17011C

Ref. arch 17011,17022



## OPAC-30

A06164

Ref. arch B6164

### RELATED PROFILES > FACADE



## FASKO

A04323

Ref. arch C4323

### RELATED PROFILES > FOR SCONCES AND WALL LIGHTING



## KIDES-DUO

A18032

Ref. arch 18032



## WERKIN

A18025

Ref. arch 18025

### RELATED PROFILES > STAIRS ILLUMINATION



## STEPUS

A18038

Ref. arch 18038